IN THE CLAIMS:

Please cancel claims 1-27 and enter the following claims:

1	28. (newly presented) A method for automatically swapping application
2	tasks running within a local network site of a computer network when
3	access from said local network site to a remote network site is delayed, said
4	method comprising:
5	initiating, from a communications application at a local network site,
6	a link to a remote network site while multi-tasking applications are
7	simultaneously running at said local network site;

initiating retrieval of data from said remote network site, in response to initiating said link;

rautomatically switching focus from said communications application to one of said multi-tasking applications, in response to initiating said link;

determining, after focus has been switched from said communications application, that said data has been retrieved; and

automatically providing user notification that said data has been retrieved, in response to said determination.

- 29. (newly presented) The method of claim 28, wherein said step of automatically providing user notification comprises automatically switching focus back to said communications application from said one of said multitasking applications.
- 30. (newly presented) The method of claim 29, wherein:

said method further comprises detecting expiration of a predetermined period of time in which no user input has been received; and

said step of switching focus back to said communications application is performed only after said step of detecting said expiration.

10 11

12

13

14 15

2

3

1

2

3

4

5

1
1

3

4

5

1

, (T

3

5

1

2

4 . 5

6 7

> 1 2

3

4 5

6

31. (newly presented) The method of claim 28, further comprising:

receiving user input selecting said communications application after said notification has been provided; and

switching focus back to said communications application from said multi-tasking application in response to receipt of said user input.

32. (newly presented) The method of claim 28, wherein:

said method further comprises identifying a previously utilized application among said multi-tasking applications; and

said step of automatically switching focus to said multi-tasking application comprises automatically switching focus to said previously utilized application.

33. (newly presented) The method of claim 28, wherein:

said method further comprises consulting a ring of applications to identify a selected application among said ring and among said multi-tasking applications; and

said step of automatically switching focus to said multi-tasking application comprises automatically switching focus to said identified application.

34. (newly presented) The method of claim 28, wherein:

said method further comprises determining whether said link is a timeconsuming link, based on a location of said remote network site; and

said step of automatically switching focus to said multi-tasking application is performed only if said link is determined to be a time consuming link.

35. (newly presented) A system for automatically swapping application tasks running within a local network site of a computer network when access from said local network site to a remote network site is delayed, said system comprising:

a local network site including processing resources, memory operatively linked to said processing resources, and a communications facility operatively linked to said processing resources;

a communications application, running in said processing resources, that initiates a link to a remote network site via said communications facility while multi-tasking applications are simultaneously running at said local network site;

means for initiating retrieval of data from said remote network site, in response to initiating said link;

means for automatically switching focus from said communications application to one of said multi-tasking applications, in response to initiating said link;

means for determining, after focus has been switched from said communications application, that said data has been retrieved; and

means for automatically providing user notification that said data has been retrieved, in response to said determination.

36. (newly presented) A system according to claim 35, wherein said means for automatically providing user notification comprises means for automatically switching focus back to said communications application from said one of said multi-tasking applications.

I'va '	
(XON U	
<u> </u>	
17	
NH	

 37. (newly presented) A system according to claim 36, wherein:

said system further comprises means for detecting expiration of a predetermined period of time in which no user input has been received; and said means for automatically switching focus back to said

communications application operates only after said expiration is detected.

38. (newly presented) A system according to claim 35, further comprising:
means for receiving user input selecting said communications

application after said notification has been provided; and

means for switching focus back to said communications application from said multi-tasking application in response to receipt of said user input.

39. (newly presented) A system according to claim 35, wherein:

said system further comprises means for identifying a previously utilized application among said multi-tasking applications; and

said means for automatically switching focus to said multi-tasking application comprises means for automatically switching focus to said previously utilized application.

40. (newly presented) A system according to claim 35, wherein:

said system further comprises means for consulting a ring of applications to identify a selected application among said ring and among said multi-tasking applications; and

said means for automatically switching focus to said multi-tasking application comprises means for automatically switching focus to said identified application.

Cont	1
	2
A4	3
	4

7

41. (newly presented) A system according to claim 35, wherein:

said system further comprises means for determining whether said link is a time-consuming link, based on a location of said remote network site; and

said means for automatically switching focus to said multi-tasking application operates only if said link is determined to be a time consuming link.

11 12

1

2

3

5

13 14

15

16 17

> 18 19

20

1

3 4

2

42. (newly presented) A program product for automatically swapping application tasks running within a local network site of computer network when access from said local network site to a remote network site is delayed, said program product comprising:

a communications application that initiates a link to a remote network site while multi-tasking applications are simultaneously running at said local network site;

means for initiating retrieval of data from said remote network site, in response to initiating said link;

means for automatically switching focus from said communications application to one of said multi-tasking applications, in response to initiating said link:

means for determining, after focus has been switched from said communications application, that said data has been retrieved; and

means for automatically providing user notification that said data has been retrieved, in response to said determination; and

a computer usable medium encoding said communications application, said means for initiating retrieval of data, said means for automatically switching focus from said communications application, said means for determining, and said means for automatically providing user notification.

43. (newly presented) A program product according to claim 42, wherein said means for automatically providing user notification comprises means for automatically switching focus back to said communications application from said one of said multi-tasking applications.

 44. (newly presented) A program product according to claim 43, wherein: said computer usable medium further encodes means for detecting expiration of a predetermined period of time in which no user input has been

received; and

said means for automatically switching focus back to said communications application operates only after said expiration is detected.

45. (newly presented) A program product according to claim 42, wherein said computer usable medium further encodes:

means for receiving user input selecting said communications application after said notification has been provided; and

means for switching focus back to said communications application from said multi-tasking application in response to receipt of said user input.

46. (newly presented) A program product according to claim 42, wherein: said computer usable medium further encodes means for identifying a previously utilized application among said multi-tasking applications; and said means for automatically switching focus to said multi-tasking application comprises means for automatically switching focus to said previously utilized application.

47. (newly presented) A program product according to claim 42, wherein: said computer usable medium further encodes means for consulting a ring of applications to identify a selected application among said ring and among said multi-tasking applications; and

said means for automatically switching focus to said multi-tasking application comprises means for automatically switching focus to said identified application.

1	
CONT	1
4	2
A4	3
	4
	_

7

48. (newly presented) A program product according to claim 42, wherein: said computer usable medium further encodes means for determining whether said link is a time-consuming link, based on a location of said remote network site; and

said means for automatically switching focus to said multi-tasking application operates only if said link is determined to be a time consuming link.